

**Abutment-Material und –Design: Einfluss auf das periimplantäre Weichgewebe
Zeitgemäße Gestaltung von Implantat-Abutments**

Priv.-Doz. Dr. Arndt Happe, ZTM Pascal Holthaus

Literatur

- 1 Rompen E et al. The effect of material characteristics, of surface topography and of implant components and connections on soft tissue integration: a literature review. *Clinical oral implants research* 2006;17 Suppl 2:55-67.
- 2 Berglundh T, Lindhe J. Dimension of the periimplant mucosa. Biological width revisited. *Journal of clinical periodontology* 1996;23(10):971-973.
- 3 Berglundh T et al. The soft tissue barrier at implants and teeth. *Clinical oral implants research* 1991;2(2):81-90.
- 4 Abrahamsson I et al. Peri-implant tissues at submerged and non-submerged titanium implants. *Journal of clinical periodontology* 1999;26(9):600-607.
- 5 Barboza EP, Caula AL, Carvalho WR. Crestal bone loss around submerged and exposed unloaded dental implants: a radiographic and microbiological descriptive study. *Implant dentistry* 2002;11(2):162-169.
- 6 Misch CE et al. A bone quality-based implant system: first year of prosthetic loading. *The Journal of oral implantology* 1999;25(3):185-197.
- 7 Abrahamsson I, Berglundh T, Lindhe J. The mucosal barrier following abutment dis/reconnection. An experimental study in dogs. *Journal of clinical periodontology* 1997;24(8):568-572.
- 8 Myshin HL, Wiens JP. Factors affecting soft tissue around dental implants: a review of the literature. *The Journal of prosthetic dentistry* 2005;94(5):440-444.
- 9 Linkevicius T, Apse P. Influence of abutment material on stability of peri-implant tissues: a systematic review. *The International journal of oral & maxillofacial implants* 2008;23(3):449-456.
- 10 Abrahamsson I et al. The mucosal attachment at different abutments. An experimental study in dogs. *Journal of clinical periodontology* 1998;25(9):721-727.
- 11 Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. *Clinical oral implants research* 2008;19(7):635-641.
- 12 Vigolo P et al. A 4-year prospective study to assess peri-implant hard and soft tissues adjacent to titanium versus gold-alloy abutments in cemented single implant crowns. *Journal of prosthodontics: official journal of the American College of Prosthodontists* 2006;15(4):250-256.
13. Andersson B et al. Ceramic implant abutments for short-span FPDs: a prospective 5-year multicenter study. *The International journal of prosthodontics* 2003;16(6):640-646.
- 14 Andersson B et al. Ceramic implant abutments used for short-span fixed partial dentures: a prospective 2-year multicenter study. *The International journal of prosthodontics* 1999;12(4):318-324.
- 15 Degidi M et al. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps. *Journal of periodontology* 2006;77(1):73-80.

16. Rimondini L et al. Bacterial colonization of zirconia ceramic surfaces: an in vitro and in vivo study. *The International journal of oral & maxillofacial implants* 2002;17(6):793-798.
17. Lewis S et al. The "UCLA" abutment. *The International journal of oral & maxillofacial implants* 1988;3(3):183-189.
18. Priest G. Virtual-designed and computer-milled implant abutments. *Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons* 2005;63(9 Suppl 2):22-32.
19. Butz F et al. Survival rate, fracture strength and failure mode of ceramic implant abutments after chewing simulation. *Journal of oral rehabilitation* 2005;32(11):838-843.
20. Gehrke P et al. Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. *Quintessence international* 2006;37(1):19-26.
21. Glauser R et al. Experimental zirconia abutments for implant-supported single-tooth restorations in esthetically demanding regions: 4-year results of a prospective clinical study. *The International journal of prosthodontics* 2004;17(3):285-290.
22. Sailer I et al. A systematic review of the performance of ceramic and metal implant abutments supporting fixed implant reconstructions. *Clinical oral implants research* 2009;(20 Suppl 4):4-31.
23. Rompen E et al. Soft tissue stability at the facial aspect of gingivally converging abutments in the esthetic zone: a pilot clinical study. *The Journal of prosthetic dentistry* 2007;97(6 Suppl):119-125.
24. Patil R et al. A comparative study to evaluate the effect of two different abutment designs on soft tissue healing and stability of mucosal margins. *Clinical oral implants research* 2013;24(3):336-341.
25. Weinlander M et al. Soft tissue development around abutments with a circular macro-groove in healed sites of partially edentulous posterior maxillae and mandibles: a clinical pilot study. *Clinical oral implants research* 2011;22(7):743-752.
26. Verran J, Boyd, RD. The relationship between substratum surface roughness and microbiological and organic soiling: a review. *Biofouling* 2001;17:59-71.
27. Bollen, CM, Lambrechts, P, Quirynen, M. Comparison of surface roughness of oral hard materials to the threshold surface roughness for bacterial plaque retention: a review of the literature. *Dental materials: official publication of the Academy of Dental Materials* 1997;13(4):258-269.
28. Quirynen M et al. The influence of titanium abutment surface roughness on plaque accumulation and gingivitis: short-term observations. *The International journal of oral & maxillofacial implants* 1996;11(2):169-178.
29. Sawase T et al. Chemical and topographical surface analysis of five different implant abutments. *Clinical oral implants research* 2000;11(1):44-50.
30. Hermann JS et al. Biologic width around titanium implants. A physiologically formed and stable dimension over time. *Clinical oral implants research* 2000;11(1):1-11.
31. Quirynen M et al. An in vivo study of the influence of the surface roughness of implants on the microbiology of supra- and subgingival plaque. *Journal of dental research* 1993;72(9):1304-1309.
32. Pier-Francesco A et al. Titanium surface modification and its effect on the adherence of *Porphyromonas gingivalis*: an in vitro study. *Clinical oral implants research* 2006;17(6):633-637.

- 33 Bollen CM et al. The influence of abutment surface roughness on plaque accumulation and peri-implant mucositis. *Clinical oral implants research* 1996;7(3):201-211.
- 34 Happe A et al. How to establish a suitable surface roughness for zirconia implant abutments under laboratory conditions. *Clinical oral implants research* 2012;(23 Suppl 7):44.
- 35 Park SE et al. Optical phenomenon of peri-implant soft tissue. Part I. Spectrophotometric assessment of natural tooth gingiva and peri-implant mucosa. *Clinical oral implants research* 2007;18(5):569-574.
- 36 Jung RE et al. In vitro color changes of soft tissues caused by restorative materials. *The International journal of periodontics & restorative dentistry* 2007;27(3):251-257.
- 37 Ishikawa-Nagai S et al. Optical phenomenon of peri-implant soft tissue. Part II. Preferred implant neck color to improve soft tissue esthetics. *Clinical oral implants research* 2007;18(5):575-580.
- 38 Jung RE et al. The effect of all-ceramic and porcelain-fused-to-metal restorations on marginal peri-implant soft tissue color: a randomized controlled clinical trial. *The International journal of periodontics & restorative dentistry* 2008;28(4):357-365.
- 39 Happe A et al. Spectrophotometric assessment of peri-implant mucosa after restoration with zirconia abutments veneered with fluorescent ceramic: a controlled, retrospective clinical study. *Clinical oral implants research* 2013;(24 Suppl A100):28-33.
- 40 Happe A et al. In vitro color changes of soft tissues caused by dyed fluorescent zirconia and nondyed, nonfluorescent zirconia in thin mucosa. *The International journal of periodontics & restorative dentistry* 2013;33(1):e1-8.